



The Open Dentistry Journal

Content list available at: <https://opendentistryjournal.com>



WITHDRAWAL NOTICE

Withdrawn: Effect of Low Heat Steam Sterilization to the Volumetric Stability of three Different 3D Printing Materials for Dental Implant Surgical Templates. An *In Vitro* Study

Theodoros Tachmatzidis¹, Ioannis Fotopoulos¹, Theodoros Lillis¹, Ioannis Kapagiannidis¹ and Nikolaos Dabarakis¹

¹Department of Dentoalveolar Surgery, Implantology & Radiology, Aristotle University, Panepistimioupoli 54124, Thessaloniki, Greece

The article has been withdrawn at the request of the authors of The Open Dentistry Journal.

Bentham Science apologizes to the readers of the journal for any inconvenience this may have caused.

The Bentham Editorial Policy on Article Withdrawal can be found at <https://benthamopen.com/editorial-policies.php>

BENTHAM OPEN DISCLAIMER:

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be

simultaneously submitted or published elsewhere. Furthermore, any data, illustration, structure or table that has been published elsewhere must be reported, and copyright permission for reproduction must be obtained. Plagiarism is strictly forbidden, and by submitting the article for publication, the authors agree that the publishers have the legal right to take appropriate action against the authors if plagiarism or fabricated information is discovered. By submitting a manuscript, the authors agree that the copyright of their article is transferred to the publishers if and when the article is accepted for publication.

© 2023 The Author(s). Published by Bentham Open.



This is an open access article distributed under the terms of the Creative Commons Attribution 4.0 International Public License (CC-BY 4.0), a copy of which is available at: <https://creativecommons.org/licenses/by/4.0/legalcode>. This license permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.